

Message

---

**From:** Nonresponsive based on revised scope [redacted]@tetrattech.com]  
**Sent:** 1/14/2021 11:12:35 PM  
**To:** Wagner, Christine [Wagner.Christine@epa.gov]  
**CC:** Esposito, Karen [esposito.karen@epa.gov]; Nonresponsive based on revised scope [redacted]@tetrattech.com]; Nonresponsive based on revised scope [redacted]@tetrattech.com]  
**Subject:** START 6 December 2020 Monthly Status Report - Wagner - Shiloh Church Rd Removal ASSESSMENT Support  
**Attachments:** T601-20-07-012\_December\_2020.pdf

Hello-

\*\*\*Sending Monthly Status Report on behalf of Program Manager Maria Magilton...

As required by contract, I am forwarding an electronic copy of Tetra Tech's **December 2020** Monthly Status Report for each of your START6 TDs with activity this month. This report includes technical and financial information on the project. If you have any questions regarding the content of these reports, please contact the Tetra Tech project team leader assigned to your project.

I will send these reports each month via e-mail. You are receiving this report because you were identified as the WAM in our authorizing document. If this report should be forwarded to a different WAM or you have any problems opening the enclosed attachments, please do not hesitate to contact me.

Thank you,

Nonresponsive based on revised scope [redacted] Administrative Assistant III

Nonresponsive based on revised scope [redacted]

**Tetra Tech** | Complex World, Clear Solutions™ | EMI Operating Unit/Northeast Operations  
240 Continental Drive, Newark, DE 19713 | tetrattech.com

*This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.  
Please consider the environment before printing.*